

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1069	710/10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:02
L5	2	"6948147".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:03
L6	2	"6299820".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:04
L7	741	710/74.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:04
L8	294	710/23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:05
L11	493	713/187.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:07
L12	2084	710/8.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:07
L13	3730	716/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:08
L14	1848	714/726.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:08

L15	384	700/115.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:09
L16	0	365/189.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:10
L17	813	365/189.12.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:10
L18	0	710/23.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:40
L19	0	710/10.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:40
L20	0	710/74.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:40
L21	0	710/23.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:40
L22	0	710/8.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:41
L23	0	713/187.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:41
L24	0	716/4.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:41

L25	0	714/726.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:41
L26	0	700/115.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:41
L27	0	365/189.12.ccls. and (scan chain same compar\$4 with (id or identifier) with system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:41
L28	0	365/189.12.ccls. and scan chain same compar\$4 with (id or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:41
L29	0	710/23.ccls. and scan chain same compar\$4 with (id or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:42
L30	0	710/10.ccls. and scan chain same compar\$4 with (id or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 16:42
S1	0	"10805114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 10:52
S4	0	neil jacobson.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 15:16
S5	24	jacobson neil.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 15:17
S6	2	"5635855".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 15:40

S7	2	"5999014".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 15:41
S8	2	"6195774".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 16:05
S9	2	"6192436".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 16:06
S10	2	"6314539".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 16:09
S11	2	"5991880".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 16:10
S12	2	"6336209".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/31 16:27
S13	98575	identif\$5.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 07:23
S14	26016	(identif\$5 with system). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 07:24
S15	61	(identif\$5 with system). ti. and (identif\$5 near3 code) and (first same second same (register or buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 07:30
S16	22	(identif\$5 with system). ti. and (identif\$5 near3 code) and (first same second same (register or buffer)) and programmable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 07:35

S17	3341	ibm and identif\$5 with storage with system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 07:56
S18	3	ibm and identif\$5 with storage with system and (system level identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 07:56
S19	5	("5671435" "5732207" "5774544" "5790663" "5794066").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/01 08:24
S20	2	("6065113").URPN.	USPAT	ADJ	ON	2007/11/01 08:38
S21	5	("4633388" "4652990" "5068894" "5182770" "5319705").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/01 08:44
S22	16	("5790663").URPN.	USPAT	ADJ	ON	2007/11/01 09:55
S23	1	(identif\$5 with system). ti. and (read with values) same (concatenat\$3 with values)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:03
S24	12	("4266270" "4346452" "4460997" "4718037" "4755965" "4794558" "5218707" "5301150" "5400267" "5504903" "5535342" "5592069").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/01 10:10
S25	18	("5732207").URPN.	USPAT	ADJ	ON	2007/11/01 10:11
S26	11	("4779188" "4866769" "4930065" "4967345" "4970640" "5113518" "5121486" "5144551" "5163145" "5408611" "5499342").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/01 10:14
S27	10	("5671435").URPN.	USPAT	ADJ	ON	2007/11/01 10:14

S28	11	(identif\$5 with system). ti. and (system (identification or id or identifier)) and (PLD or FPGA or CPLD or PLC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:17
S29	1	"60603501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:18
S30	18644	system (id or identifier or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:28
S31	2357	system (id or identifier or identification) and (id or identifier or identification) code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:29
S32	152	system (id or identifier or identification) and read near3 (id or identifier or identification) code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:29
S33	15	system (id or identifier or identification) and read near3 (id or identifier or identification) code and (pld or plc or fpga or cpld or plc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:29
S34	3555	system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:41
S35	780	system identifier and micro\$processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:42
S36	351	system identifier and micro\$processor and storage device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 10:42
S37	0	bios wth (identif\$7 with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 11:14

S38	2926	identifying system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 11:58
S39	2	identifying system and (SAMPLE instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 11:59
S40	2	identifying system and (boundary?scan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:02
S41	1347	(boundary?scan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:03
S42	48	(boundary?scan) with sample	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:04
S43	28	(boundary?scan) with sample same extest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:04
S44	37	(boundary?scan) with sample and extest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:04
S45	0	(boundary?scan) with sample and extest and id?code and user?code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:05
S46	0	(boundary?scan) and sample and extest and id?code and user?code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:05
S47	229	idcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:05

S48	92	idcode and usercode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:05
S49	92	idcode and usercode and register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:05
S50	92	idcode and usercode and register and configur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:06
S51	3	idcode and usercode and register and configur\$5 and pld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:09
S52	13	idcode and usercode and register and configur\$5 and (pld or plc or fpga or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 12:09
S53	5	idcode and usercode with register and configur\$5 and (pld or plc or fpga or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 14:43
S54	1703	(identif\$7 with system with code) same (system (id or identifier or identification or identity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 14:47
S55	0	S54 and register and (control code) and (scan chain) and checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 14:48
S56	29	S54 and register and (control code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 14:49
S57	122	(identif\$7 with system with code) same (system (id or identifier or identification or identity)) and (pld or plc or fpga or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 14:49

S58	50	(hardware near3 determin\$5) same (id or identification or identifier) near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 15:18
S59	1	(hardware near3 determin\$5) same (id or identification or identifier) near3 code and (pld or (programmable logic device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:21
S60	2	(hardware near3 determin\$5) same (id or identification or identifier) near3 code and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:22
S61	313	system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:25
S62	313	system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc) and (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:25
S63	185	system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc) and (id or identification or identifier) near3 (code or name or value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:25

S64	182	(read\$3 or detect\$3 or receiv\$3 near3 config \$7) and system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc) and (id or identifier) near3 (code or name or value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:29
S65	3810	configuration state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:32
S66	162	configuration state and pld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:32
S67	110	configuration state and pld and code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:32
S68	94	configuration state and pld and code and identif \$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:32
S69	37	configuration state and pld and code with identif\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:33
S70	0	identification with multi? device and (pld or fpga or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:36
S71	1	identif\$7 with multi? device and (pld or fpga or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:36
S72	86	identif\$7 with multi near3 device and (pld or fpga or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/01 16:39

S73	145	ID CODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/05 07:41
S74	26	IDCODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/05 07:41
S75	19	USER CODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/05 07:46
S76	9	USERCODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/05 07:47
S79	350	read with plurality with codes with devices	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/05 09:03
S80	876	boundary scan register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 07:33
S81	91	boundary scan register with (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 07:34
S82	53	boundary scan register near3 (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 07:34
S83	142	boundary scan register same (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 07:34

S84	12	(US-5635855-\$ or US-6336209-\$ or US-6065113-\$ or US-5794066-\$ or US-7117414-\$ or US-5841867-\$ or US-5748980-\$ or US-6191614-\$ or US-7019558-\$ or US-7065692-\$).did. or (US-6922820-\$).did. or (NA8909262).tban.	USPAT; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:28
S85	2	S84 and use?code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:28
S86	1	boundary?scan with IDCODE WITH USERCODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:34
S87	9	boundary?scan same IDCODE same USERCODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:35
S88	0	boundary?scan same ID?CODE same USER? CODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:42
S89	0	boundary?scan same ID?CODE same USER? CODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:43
S90	11	idcode with usercode with register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 08:43
S91	10	S84 and programmable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:15
S92	2	S84 and (programmable near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:15

S93	7	S84 and scan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:45
S94	3	S84 and chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 09:46
S96	823	checksum with states	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 12:29
S97	112	checksum with states and (pld or fpga)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 12:30
S98	44	checksum near3 states and (pld or fpga)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 12:30
S99	0	configuration state with checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:02
S100	7	configuration state same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:02
S101	0	configuration state with crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:04
S102	20	configuration state same crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:04
S103	0	configuration state near3 crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:04

S104	51	configuration near3 state same crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:05
S105	29	configuration near3 state same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:05
S106	580	(checksum or crc) with (state or config\$7) same (identifier or id or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:34
S107	104	S106 and (fpga or pld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:35
S108	2242	state same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:46
S109	15	system identifier with checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 13:49
S110	2	"6922820".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 14:45
S111	15	710/23.ccls. and (fpga or pld or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/06 15:49
S112	92	scan chain same (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:26
S113	0	scan chain same (identifier) same devices	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:26

S114	17	scan chain same (identifier) same device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:26
S115	55	scan chain with (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:51
S116	1	"20080052029"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:52
S117	2	"6802447".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:54
S118	2	"6738788".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:54
S119	2	"6161213".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:55
S120	2	"5,079,725".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 12:58
S121	123	position same (scan near3 chain) same identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 13:57
S122	82	(position with identif \$5) same (scan near3 chain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 13:57
S123	68	(position with identif \$5) with (scan near3 chain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 13:57

S124	0	(position near3 device) with (scan near3 chain) with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 14:02
S125	0	(position near3 device) with (scan near3 chain) same identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 14:02
S126	0	(position near3 device) same (scan near3 chain) same identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 14:02
S127	0	identifier with depend with scan chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 14:03
S128	0	identifier with depend \$4 with scan chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 14:03
S129	1568	identifier with position with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 14:08
S130	49	identifier with position with (plurality near3 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 14:09
S131	190	storing with system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 18:45
S132	126	storing near3 system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 18:46
S133	0	storing near3 generated system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 18:48

S134	0	storing with generated system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/09 18:49
S135	251	710/23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 07:24
S136	2	"6948147".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 09:36
S137	2	"6299820".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 09:37
S138	2853	(configur\$4 with device) same chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 09:49
S139	17871	(id or identifier or identification or name) with device same compar\$4 with (id or identifier or identification or name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 09:50
S140	47	S138 and S139	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/30 09:50
S141	36452	compar\$4 with (id identification identifier name identif\$4) same (configur\$6 program \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 09:55
S142	2054427	(chain scan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 09:56
S143	1402	S141 same S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 09:56

S150	274	710/23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/07 09:59
S151	0	"10805114"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S152	0	neil jacobson.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S153	30	jacobson neil.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S154	2	"5635855".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S155	2	"5999014".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S156	2	"6195774".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S157	2	"6192436".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S158	2	"6314539".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S159	2	"5991880".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S160	2	"6336209".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S161	121598	identif\$5.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S162	32675	(identif\$5 with system). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S163	63	(identif\$5 with system). ti. and (identif\$5 near3 code) and (first same second same (register or buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S164	22	(identif\$5 with system). ti. and (identif\$5 near3 code) and (first same second same (register or buffer)) and programmable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S165	4190	ibm and identif\$5 with storage with system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S166	3	ibm and identif\$5 with storage with system and (system level identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S167	5	("5671435" "5732207" "5774544" "5790663" "5794066").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/11 13:15
S168	5	("6065113").URPN.	USPAT	ADJ	ON	2009/05/11 13:15
S169	5	("4633388" "4652990" "5068894" "5182770" "5319705").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/11 13:15
S170	20	("5790663").URPN.	USPAT	ADJ	ON	2009/05/11 13:15

S171	1	(identif\$5 with system). ti. and (read with values) same (concatenat\$3 with values)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S172	12	("4266270" "4346452" "4460997" "4718037" "4755965" "4794558" "5218707" "5301150" "5400267" "5504903" "5535342" "5592069").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/11 13:15
S173	22	("5732207").URPN.	USPAT	ADJ	ON	2009/05/11 13:15
S174	11	("4779188" "4866769" "4930065" "4967345" "4970640" "5113518" "5121486" "5144551" "5163145" "5408611" "5499342").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/05/11 13:15
S175	15	("5671435").URPN.	USPAT	ADJ	ON	2009/05/11 13:15
S176	17	(identif\$5 with system). ti. and (system (identification or id or indentifier)) and (PLD or FPGA or CPLD or PLC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S177	2	"60603501"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S178	22850	system (id or identifier or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S179	2802	system (id or identifier or identification) and (id or identifier or identification) code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S180	182	system (id or identifier or identification) and read near3 (id or identifier or identification) code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S181	24	system (id or identifier or identification) and read near3 (id or identifier or identification) code and (pld or plc or fpga or cpld or plc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S182	4549	system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S183	1017	system identifier and micro\$processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S184	502	system identifier and micro\$processor and storage device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S185	0	bios wth (identif\$7 with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S186	3555	identifying system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S187	3	identifying system and (SAMPLE instruction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S188	6	identifying system and (boundary?scan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S189	1679	(boundary?scan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S190	50	(boundary?scan) with sample	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S191	29	(boundary?scan) with sample same extest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S192	39	(boundary?scan) with sample and extest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S193	0	(boundary?scan) with sample and extest and id?code and user?code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S194	0	(boundary?scan) and sample and extest and id?code and user?code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S195	263	idcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S196	101	idcode and usercode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S197	101	idcode and usercode and register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S198	101	idcode and usercode and register and configur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S199	6	idcode and usercode and register and configur\$5 and pld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S200	16	idcode and usercode and register and configur\$5 and (pld or plc or fpga or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S201	5	idcode and usercode with register and configur\$5 and (pld or plc or fpga or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S202	2037	(identif\$7 with system with code) same (system (id or identifier or identification or identity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S203	0	S202 and register and (control code) and (scan chain) and checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S204	33	S202 and register and (control code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S205	161	(identif\$7 with system with code) same (system (id or identifier or identification or identity)) and (pld or plc or fpga or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S206	58	(hardware near3 determin\$5) same (id or identification or identifier) near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S207	1	(hardware near3 determin\$5) same (id or identification or identifier) near3 code and (pld or (programmable logic device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S208	2	(hardware near3 determin\$5) same (id or identification or identifier) near3 code and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S209	445	system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S210	445	system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc) and (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S211	270	system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc) and (id or identification or identifier) near3 (code or name or value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S212	267	(read\$3 or detect\$3 or receiv\$3 near3 config \$7) and system identifier and (pld or (programmable logic device) or (fpga or (field programmable gate array)) or cpld or plc) and (id or identification or identifier) near3 (code or name or value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S213	4993	configuration state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S214	219	configuration state and pld	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S215	147	configuration state and pld and code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S216	123	configuration state and pld and code and identif \$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S217	42	configuration state and pld and code with identif\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S218	0	identification with multi? device and (pld or fpga or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S219	1	identif\$7 with multi? device and (pld or fpga or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S220	110	identif\$7 with multi near3 device and (pld or fpga or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S221	149	ID CODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S222	31	IDCODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S223	23	USER CODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S224	11	USERCODE register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S225	409	read with plurality with codes with devices	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S226	1025	boundary scan register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S227	95	boundary scan register with (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S228	53	boundary scan register near3 (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S229	147	boundary scan register same (id or identification or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S230	11	(US-5635855-\$ or US- 6336209-\$ or US- 6065113-\$ or US- 5794066-\$ or US- 7117414-\$ or US- 5841867-\$ or US- 5748980-\$ or US- 6191614-\$ or US- 7019558-\$ or US- 7065692-\$).did. or (US- 6922820-\$).did. or (NA8909262).tban.	USPAT; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S231	2	S230 and use?code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S232	1	boundary?scan with IDCODE WITH USERCODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S233	9	boundary?scan same IDCODE same USERCODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S234	0	boundary?scan same ID?CODE same USER? CODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S235	0	boundary?scan same ID?CODE same USER? CODE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S236	13	ldcode with usercode with register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S237	9	S230 and programmable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S238	2	S230 and (programmable near3 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S239	6	S230 and scan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S240	3	S230 and chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S241	1013	checksum with states	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S242	140	checksum with states and (pld or fpga)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S243	48	checksum near3 states and (pld or fpga)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S244	1	configuration state with checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S245	10	configuration state same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S246	0	configuration state with crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S247	20	configuration state same crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S248	0	configuration state near3 crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S249	55	configuration near3 state same crc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S250	34	configuration near3 state same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S251	776	(checksum or crc) with (state or config\$) same (identifier or id or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S252	154	S251 and (fpga or pld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S253	2698	state same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S254	16	system identifier with checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S255	2	"6922820".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S256	18	710/23.ccls. and (fpga or pld or plc or cpld)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S257	116	scan chain same (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S258	0	scan chain same (identifier) same devices	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S259	19	scan chain same (identifier) same device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S260	73	scan chain with (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S261	2	"20080052029"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S262	2	"6802447".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S263	2	"6738788".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S264	2	"6161213".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S265	2	"5,079,725".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S266	153	position same (scan near3 chain) same identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S267	103	(position with identif \$5) same (scan near3 chain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S268	89	(position with identif \$5) with (scan near3 chain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S269	0	(position near3 device) with (scan near3 chain) with identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S270	0	(position near3 device) with (scan near3 chain) same identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S271	0	(position near3 device) same (scan near3 chain) same identif\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S272	0	identifier with depend with scan chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S273	1	identifier with depend \$4 with scan chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S274	1835	identifier with position with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S275	59	identifier with position with (plurality near3 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S276	215	storing with system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S277	143	storing near3 system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S278	0	storing near3 generated system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S279	0	storing with generated system identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S280	294	710/23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S281	2	"6948147".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S282	2	"6299820".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S283	3126	(configur\$4 with device) same chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S284	19124	(id or identifier or identification or name) with device same compar\$4 with (id or identifier or identification or name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

S285	52	S283 and S284	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15
S286	39320	compar\$4 with (id identification identifier name identif\$4) same (configur\$6 program \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 13:15
S287	2133884	(chain scan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 13:15
S288	1492	S286 same S287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 13:15
S289	294	710/23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/11 13:15

5/ 11/ 2009 4:56:11 PM

C:\Documents and Settings\fabad\ My Documents\ EAST\ Workspaces\ 10805113.wsp